



PROFESSIONAL AUTO DETAILING

PRODUCT CATALOGUE



OSER

CONTENTS : 220G

CRYSTAL BLOCK
SYNERGIZED

INNOVATION OF WAX SYNERGY

CONTENTS

PROFESSIONAL SERIES

Orange Peel Leveling System	5
Surface Correction	6
Sticky Paint Polish	7
All-In-One (Polish/Wax)	8
Surface Protection	9-10

SOLUTIONS

Cleaners	13-15
Dressings	16-17
Other Solutions	18

COATZ	21-22
-------------	-------

PADS & BACKING PLATES

Leveling Pads	25
Wool and Microfibre Pads	26
DA Pads	27-28
Rotary Foam Pads	29
Other Pads	30
Backing Plates	31-32

TOOLS & ACCESSORIES

Power Tools	35-36
Pneumatic Tools	37
Clay	38
Towels	39-40
Miscellaneous	41-44

INDUSTRIAL HAND GEL	45
---------------------------	----



To receive updates on happenings, follow our Facebook page @ www.facebook.com/osrenmalaysia



To watch our videos on detailing tips, techniques and how-tos, subscribe to our YouTube channel @ www.youtube.com/osrencarcare



www.osren.com

✓ SUITABLE ON ALL
GLOSS PAINTWORKS

PROFESSIONAL SERIES



NAO COMPOUND
- WATER BASED COMPOUND -
Highly effective on modern clear coats
such as scratch resistant clears and
others.



Polishing compound designed to
eliminate deep swirls, waterstains,
oxidation, scratches and other defects.
Engineered with Nanomized Aluminium
Oxides for minimal dusting.

CAUTION
Eye & skin irritant
Read back label



1 Liter

PROFESSIONAL SERIES

OSREN Professional Series consists of surface preparation & protection products which are engineered for professional detailers, factory body & paint technicians and detailing enthusiast. Whether you're looking for paint cleaners, aggressive compounds, nano fine polishes, waxes or sealants, we have it all here.



ORANGE PEEL LEVELING SYSTEM

ROTARY POLISHER

See page 35 for
product information

DENIM PAD

See page 30 for
product information

PERFECT FIFTY

FAST CUT COMPOUND

OSREN Perfect Fifty is an aggressive rubbing compound designed to **level orange peel without sanding** for the absolute show car shine. Also engineered to remove tough paint defects such as dust nibs, overspray and P1200 or finer sanding marks.

Cut Level	12/10
Gloss Level	4/10
Part No. & Size	C-FDC-150 (1Kg) C-FDC-450 (4Kg) C-FDC-0450 (400g)

N.A.O. ABRASIVES

(NANOMIZED ALUMINIUM OXIDES)

N.A.O. Abrasives uses raw aluminium oxide that is chemically and mechanically refined to be molecularly smaller and sharper than its original size. N.A.O. Abrasives abrade more than standard Aluminium Oxides yet leaving behind an absolute fine finishing.

NAO COMPOUND 46

WATERBASED COMPOUND

NAO Engineered compound designed to eliminate deep swirls, waterstains etching and scratches. Works great even on scratch resistant clears.



NAO POLISH 36

WATERBASED POLISH

NAO Engineered polish designed to refine light swirls and holograms. A nano fine polish that eliminates what's left behind by the compounding step.



NAO GLAZE 26

WATERBASED GLAZE

NAO Engineered glaze designed to remove hairline imperfections and blemishes for the absolute glossy finish just before waxing or coating.



Cut Level	9.5/10
Gloss Level	8/10
Part No. & Size	C-NC-446 (4L) C-NC-146 (1L) C-NC-0346 (300ml)

Cut Level	9/10
Gloss Level	9/10
Part No. & Size	C-NP-436 (4L) C-NP-136 (1L) C-NP-0336 (300ml)

Cut Level	2/10
Gloss Level	10/10
Part No. & Size	C-NGN-126N (1L) C-NGN-0326N (300ml)

STICKY PAINT POLISH



GREY CUTTING FOAM DISC
See page 27 for product information

PERFECT CUT 20

LIGHT CUT GLAZE

OSREN's Perfect Cut is a finishing polish/glaze, engineered with fine abrasives and mild water based solvents to produce a flawless finish by eliminating light paint imperfections such as holograms, marring and light scratches. It works exceptionally well on **OEM Soft / Sticky paintworks**.

Cut Level	3/10
Gloss Level	9/10
Part No. & Size	C-PC(2.0)-162 (1L) C-PC-0362 (300ml)



PAINT RESTORER 51

ALL-IN-ONE POLISH

OSREN Paint Restorer 51 is a versatile all-in-one polish that's pad dependent. You can pair it with wool pad for relatively aggressive cutting or you can also pair it with a soft foam for mild paint cleaning.

A product that contains micro fine abrasives that removes light swirls and marring. It also contains cleaning solvents that cleans stubborn stains and blemishes, plus it leaves behind a layer of wax that adds to slickness, hydrophobicity and gloss. Get all these in a single step.



Cleaning Power	9/10
Gloss Level	8/10
Part No. & Size	C-PR-451 (4L) C-PR-151 (1L) C-PR-0351 (300ml)

RADIANT POLISH 52

ALL-IN-ONE POLISH



Cleaning : 8/10
Gloss : 9.5/10
Part No. & Size : C-RP-152-2 (1L)

SOLID CLEAN 07

ALL-IN-ONE POLISH



Cleaning : 7/10
Gloss : 6/10
Part No. & Size : C-SC-480 (4L) /
C-SC-1880 (18L)

CLEANER WAX 06

LIQUID SYNTHETIC WAX



Cleaning : 4/10
Gloss : 8/10
Part No. & Size : C-CW-487 (4L) /
C-CW-1887 (18L)

BLACK FINISHING FOAM

See page 29 for product information

3" PALM SANDER

See page 37 for product information



RADIANT COAT 12

POLYMER BASED COATING

What's the best way to lock in that swirl free finish that you've spent hours to detail? OSREN Radiant Coat is a Polymer based coating that coats the finish of your car. It not only seals it up but also creates a rich, glossy and hydrophobic layer that keeps the paint looking like new wash after wash.

Cleaning Level	1/10
Gloss Level	12/10
Part No. & Size	C-RC-112-2 (1L) C-RC-0312 (300ml)

CRYSTAL BLOCK SYNERGIZED

INNOVATION OF WAX SYNERGY

Years of research and prototyping to fuse natural waxes with synthetic resins together has lead us to develop SYNERGIZED, a whole new level of car wax, designed entirely to enhance and protect your car's paintwork. In SYNERGIZED, you'll get a sleek, high-gloss finish from the natural wax while the synthetic resins will give you more protection by prolonging its bond onto the paintwork.

Part No. & Size **C-SW-800 (220g)**



CRYSTAL BLOCK EMERALD CLASSIC AUTO HARD WAX



Part No. & Size:
C-CE-500 (220g)

SYNTHETIC SEALANT AUTO HARD SEALANT



Part No. & Size:
C-CS-600 (220g)



OSREN



SOLUTIONS

PROFESSIONAL AUTOMOTIVE DETAILING PRODUCTS

DEGREASER FX

Heavy duty performance
Mild fragrance
Fast rinsing formula

Contents : 4 litres e
Caution : eye & skin irritant (read back panel carefully)

77



SOLUTIONS

Grab the right liquid for the right job. OSREN Solutions is all about offering the right chemical that easily and safely clean various stains and dress various automotive surfaces.



BUBBLE & WAX

The Key to maintaining that just waxed car is using a good dedicated automotive shampoo. Unlike many household detergents which clean but strip wax and dulls the finish of your car. OSREN's Bubble & Wax car shampoo is a unique blend of cleaning agents and gloss enhancers which gently washes away dirt, grime and traffic film while leaving behind a "wet-look" after-wash shine.

<i>Dilution</i>	up to 1:100
<i>Part No. & Size</i>	C-BW-400 (4L) C-BW-2006 (20L)



NANO WASH

Basic yet ultra concentrated pH neutral car shampoo that does what it does - clean, without harming the paint, coating or waxed finish. OSREN's Nano Wash shampoo is designed to quickly and reliably encapsulate dirt and grime off your vehicle so you can clean without dulling the paint while keeping its original gloss.

<i>Dilution</i>	up to 1:400
<i>Part No. & Size</i>	C-NW-490 (4L) C-NW-2090 (20L)



BRAKE DUST CLEANER

OSREN Brake Dust Cleaner, engineered with unique iron particle remover, is a pH balanced cleaner suitable for all types of wheels. It reacts and dissolves brake dust, turning them purplish pink and dislodges effortlessly with a rinse of water. OSREN Brake Dust Cleaner is the easier, faster and safer way to clean your wheels!

<i>Part No. & Size</i>	C-BDC-179 (1L)
	C-BDC-479 (4L)
	C-BDC-2079 (20L)



DEGREASER FX

Unlike harsh soda based degreasers which bleaches the surface, OSREN's Degreaser FX is engineered to clean the toughest grease effectively and is easily rinsed off reducing streaking and discoloration. It also comes in a mild citrus fragrance to provide better working environment for technicians and car owners.

<i>Dilution</i>	<i>up to</i> 1:10
<i>Part No. & Size</i>	C-DFX-477 (4L)
	C-DFX-2077 (20L)



TAR SPOTS REMOVER

Tar spots are very adhesive and may etch or stain paint finishes if left untreated. OSREN Tar Spots Remover dissolves road tar on paintwork, plastics and metals easily. Just spray, dissolve and wipe clean. OSREN Tar Spots Remover can also be used to remove glue or adhesive residue, grease and also oil stains.

<i>Part No. & Size</i>	C-TSR-133 (1L)
	C-TSR-433 (4L)

CLEANERS

GLASS CLEANER

CLEANS OIL STAINS
ON GLASS



Part No. & Size:
C-GC-410 (4L)

LEATHER CLEANER

SAFELY AND EFFECTIVELY
CLEANS LEATHERS



Part No. & Size:
C-LC-420 (4L)
C-LC-2020 (20L)

FABRIC CLEANER

SAFELY AND EFFECTIVELY
CLEANS PVC, VINYL &
FABRIC UPHOLSTERY



Part No. & Size:
C-FC 473 (4L)
C-FC-2073 (20L)

QUICK INSPECTOR

REMOVES POLISHING OIL



Part No. & Size:
C-IPA996(1) (1L)
C-QI-496 (4L)

STAIN-X

STUBBORN GLASS
WATERSTAINS REMOVER



Part No. & Size:
C-SX-7619 (1L)

MULTI CLEANER

ALKALINE BASED
MULTIPURPOSE CLEANER



Part No. & Size:
C-MC-477 (4L)
C-MC-2077 (20L)

CAR AUTO SHAMPOO

EFFECTIVELY CLEANS
CAR'S EXTERIOR



Part No. & Size:
C-CAS-2002 (20L)

DEGREASER

INDUSTRIAL GRADE
HEAVY DUTY DEGREASER



Part No. & Size:
C-DE3-2076 (E3 - 22L)
C-DEN-2078 (E3N - 22L)

ENGINE DEGREASER

ALKALINE BASED
HEAVY DUTY DEGREASER



Part No. & Size:
C-ED-2072 (#2 - 20L)

MICROFIBRE BUFFING TOWEL 40X40
See page 39 for product information

SURFACE CONDITIONER

A well conditioned paint is one that's glossy, sleek and repels dirt, grime and airborne pollutants you get from daily driving. This makes the car easier to clean and maintain. OSREN Surface Conditioner is a unique blend of semi-concentrated conditioning substance design to recondition paintwork easily and instantly. The ideal complement to your wash!

Dilution	1:4
Part No. & Size	C-SC-186 (1L)



METAWAX

CLEANS, POLISHES
AND PROTECTS GLOSSY
PAINT FINISHES



Part No. & Size:
C-MW-488 (4L)

UV DRESSING

CONDITIONS AND PROTECTS
INTERIOR VINYL



Part No. & Size:
C-UD-449 (4L)

REBLACK

CONDITIONS AND PROTECTS
EXTERIOR RUBBER AND
NON-PAINTED PLASTICS



Part No. & Size:
C-RT-168 (1L)



WAX APPLICATOR
See page 42 for product information



LEATHER CREAM

Made from 100% pure natural Lanolins, we have created OSREN Leather Cream which is a pure leather conditioner that gives highest possible softness and natural shine luster to your leathers. A premium product created for serious leather enthusiast.

Part No. & Size	C-LC-23 (180ml)

LEATHER SOFT

RESTORES, MOISTURIZES
AND PROTECTS LEATHER



Part No. & Size:
C-LS-21 (400ml)
C-LS-121 (1L)

TIRE SHINE

A well detailed ride is not complete if the tires are stained and dull. OSREN Tire Shine (LV) revitalizes the look with premium grade polymers and protectants, producing a high-gloss shine and keeps tires looking like new. A must use to complement a clean and shinny ride.



Model:	Part No. & Size:
TIRE SHINE (LV)	C-TS-455 (4L) / C-TS-1855 (18L)
TIRE SHINE (LV3.5)	C-TS-2035 (20L)
TIRE SHINE (HV)	C-TS-457 (4L) / C-TS-1857 (18L)
TIRE SHINE (HV3)	C-TS-459 (4L) / C-TS-2059 (20L)
TIRE SHINE (HV3.5)	C-TS-2054 (20L)
TIRE SHINE (HV4)	C-TS-2064 (20L)



*Use with AIR GUN



BACTERIA & ODOR EXTERMINATOR

In OSREN, we don't only keep your car clean but also the air that you breathe in too! Study shows that Benzalkonium Chloride and Glycols are safe and highly effective air disinfectants when vaporized in a car's interior. OSREN Bacteria & Odor Exterminator kills bacteria and nullifies odor to give you a fresher, healthier driving experience.

Options:

Part No. & Size:

Lemon (Hydro)	C-HBOE-067L (60ml) / C-HBOE-467L (4L)
Apple (Hydro)	C-HBOE-067A (60ml) / C-HBOE-467A (4L)
Lemon**	C-BOE-0366 (60ml) / C-BOE-010366 (1L)
Apple**	C-BOE-0366A (60ml) / C-BOE-010366A (1L)
Menthol**	C-BOE-0366M (60ml) / C-BOE-010366M (1L)

**Use with FOG MACHINE (See page 36 for product information)

STAIN-X (POWDER)

MIX ABRASIVES TO SCRUB AWAY WATERSTAINS ON GLASS



Part No. & Size:
C-WR-159 (1kg)

PLASTIC HEADLAMP POLISH

POLISH FOR CAR HEAD & TAIL LAMPS



Part No. & Size:
C-PHLP-197 (300g)

AIR FRESHENER

SPRAY AND FRESHEN UP CAR INTERIOR



Part No & Size:
C-AF-411 (Floral - 4L)
C-AAF-411A (Apple - 4L)
C-LAF-411L (Lemon - 4L)



The background of the entire image is a blue-tinted photograph of several OSREN COATZ product bottles. The bottles are arranged diagonally across the frame. The central bottle is labeled '01A' and 'PRE-COATING CLEANER'. To its left, a bottle labeled '05A' is visible, with text including 'PAINTWORK COATING WATER CLEANER'. To the right, a bottle labeled '03' is partially visible, with text including 'FLUORIDE PAINTWORK COATING'. The bottles are clear with white labels and silver caps. The overall aesthetic is clean and professional, emphasizing the automotive care products.

COATZ

Genesis of Modern Surface Enhancement. OSREN CoatZ provides cutting edge technology products to enhance shine and protection on various automotive surfaces.



COATING APPLICATOR KIT
See page 42 for product information



01 | ABSOLUTE PAINTWORK COATING

Engineered with inorganic glass compositions, otherwise known as silicone dioxides (SiO_2), that creates a crystallized coat over the paintwork for the absolute paint enhancement. OSREN Coatz 01 Absolute Paintwork Coating enhances painted surfaces and plastics with a deep rich gloss that lasts extremely long. It also gives a turbo-like water repelling effect due to its intense hydrophobicity, allowing cars to be cleaned and maintain that gallery finish easily.

Hardness	Pencil Hardness 6H
Active Composition	70%
Water Beading Angle	>90 Degree
Part No. & Size	C-APC-01-30 (30ml)

*Eco-friendly (VOC-free)

00 | ABSOLUTE PAINTWORK UNDERCOAT (9H)



Part No. & Size:
C-APU-00 (50ml)

01A | PRE-COATING CLEANER



Part No. & Size:
C-PCC-24001A (240ml)

02A | METAL POLISH ABRASIVE



Part No. & Size:
C-MP-02A-120 (120g)

02 | ABSOLUTE METAL COATING



Part No. & Size:
C-AMC-02 (50ml)

03 | FLUORINE PAINTWORK COATING



Part No. & Size:
C-PC-03(200) (200ml)

04A | GLASS POLISH ABRASIVE



Part No. & Size:
C-SXC-04A (100ml)

04 | FLUORINE GLASS COATING



Part No. & Size:
C-GC-04 (150ml)

05A | PAINTWORK COATING WATERSTAINS CLEANER



Part No. & Size:
C-PCWC-105A (1L)

05 | PAINTWORK COATING REACTIVATOR



Part No. & Size:
C-PCR-05-240 (240ml)

PADS & BACKING PLATES

Various types of wool, foams, leveling pads and backing plates that caters to all professional detailers and enthusiasts.



LEVELING PADS

25

DENIM LEVELING FOAM

Denim leveling foam is made of denim which are hard, flat and less pores material to hold most of the abrasives on the surface and level away orange peel as well as other deeper paint defects.

Material	Denim
Attachment	Hook & Loop
Cut Level	12
Part No. & Size	CH-C13150 (150 x 25mm) * CH-B03-J90 (140 x 6mm) * CH-J90#83X6 (83 x 6mm)


VELVET LEVELING FOAM

Velvet leveling foam is made of corduroy which are similar to denim but slightly softer to cater for soft/sticky OEM paint. The polishing abrasives will be held onto the pad's surface and level away orange peel as well as other deeper defects.

Material	Velvet
Attachment	Hook & Loop
Cut Level	10
Part No. & Size	CH-C23150 (150 x 25mm) * CH-B03-V80 (140 x 6mm) * CH-V80#83X6 (83 x 6mm)

* = Use with Dual Action Polisher





BLUE NANO WOOL

Made with a hybrid blend of both foam and wool through a patented nanofoam process, the Blue Nano Wool is capable of maintaining its consistency in performance, and outlast natural sheepskin pads. It is capable of removing swirls and heavy defects, while greatly reduces compound hazing and temperature on paintwork.

Material	Blue Synthetic Wool
Attachment	Hook & Loop
Cut Level	7
Part No. & Size	L-HYB-140 (140mm) L-HYB-80-1 (80mm)

WOOL PAD



Part No. & Size:
L41-125 (190mm)
L41-125A (165mm)
L41-003 (75mm)

PURPLE NANO WOOL



Part No. & Size:
L58-4265 (165mm)
L58-4255-1WH (140mm)
L58-3235 (80mm)


B/W CUTTING MICROFIBRE DISC



Part No. & Size:
L-MF-525CUT (140mm)
L-MF-325CUT (80mm)

LOW PROFILE HYBRID DA FOAM PADS

These pads are engineered with foams that are more rigid, firm and dense to maintain it's structural integrity during buffing (no loss of cutting) with a Dual Action Polisher. It's thin design also allows for smoother handling and buffing feel.



GREY CUTTING FOAM DISC

Designed to work with compounds to remove etchings, scratches and swirls.

WHITE POLISHING FOAM DISC

Designed to work with polishes or AIOs to remove light swirls and blemishes.

BLACK FINISHING FOAM DISC

Designed to work with glazes to remove holograms and also applying waxes or sealants.

Color	Light Gray
Attachment	Hook & Loop
Cut Level	6.5
Part No.	L76-78550G-130 (140mm) L76-78350G-76 (90mm)

Color	White
Attachment	Hook & Loop
Cut Level	4
Part No.	L76-68550-130 (140mm) L76-68350-76MM (90mm)

Color	Black
Attachment	Hook & Loop
Cut Level	2
Part No.	L76-78550-130 (140mm) L76-78350-76MM (90mm)





ORANGE DENSE COOL PAD

Firm foam with durable Velcro® for light cutting with DA Polisher.

<i>Color</i>	Orange
<i>Attachment</i>	Hook & Loop
<i>Cleaning Power</i>	8
<i>Part No. & Size</i>	L78-22550 (140mm)



WHITE MEDIUM COOL PAD

Semi-firm foam with durable Velcro® for polishing with DA Polisher.

<i>Color</i>	White
<i>Attachment</i>	Hook & Loop
<i>Cleaning Power</i>	6
<i>Part No. & Size</i>	L78-62550 (140mm)



BLACK SOFT COOL PAD

Soft foam with durable Velcro® for glazing and waxing with DA Polisher.

<i>Color</i>	Black
<i>Attachment</i>	Hook & Loop
<i>Cleaning Power</i>	2
<i>Part No. & Size</i>	L78-72550 (140mm)

ROTARY FOAM PADS



MAROON CUTTING FOAM

Coarse reticulated foam used for compounding and paint cleaning to remove oxidations, stubborn stains and scratches.

Color	Maroon
Attachment	Hook & Loop
Cut Level	6
Part No. & Size	FCC-MSA150C (150mm) CH-C51090 (95mm) CH-FP2"(M) (60mm)



NAVY POLISHING FOAM

Medium non-reticulated dense foam used for polishing to remove machine swirls and other moderate paint defects.

Color	Navy
Attachment	Hook & Loop
Cut Level	5
Part No. & Size	FCC-MSA150P (150mm)



BLACK FINISHING FOAM

Soft reticulated foam used of finishing to remove holograms and other light imperfections.

Color	Black
Attachment	Hook & Loop
Cut Level	2
Part No. & Size	FCC-MSA150F (150mm) CH-C73090 (95mm) CH-FP2"(BLK) (60mm)

DENIM PAD

OSREN's Denim Sponge is designed as a coarse and sturdy pad for orange peel levelling. Capable of consistently suspending the abrasives between paint and pad to provide even shaving, resulting in a uniformed levelling that's unprecedented compared to conventional pads.



Part No.	Size
A-JS-6.5(X2)	160mm

WOOL PAD



Part No. & Size:
CH-C4075 (75mm)
CH-4050(B) (50mm)

VELVET PAD

OSREN's Velvet Sponge is designed as a coarse and sturdy pad for orange peel levelling. Made of corduroy which are similar to denim but slightly softer to cater for soft/sticky OEM paint. Levels paint in an uniformed manner that's unprecedented compared to conventional pads.



Part No.	Size
A-VS-6.5(X2)	160mm
A-M3875	100mm

GLASS POLISHING DISC



Part No. & Size:
A-GP135X3 (135mm)
A-GP80 (80mm)

POLISHING SPONGE (M14)



Part No. & Size:
CH-P01-15040T (150mm)

POLISHING SPONGE (VELCRO)



Part No. & Size:
CH-Q01-15050T (150mm)

SHORT WOOL PAD (HORIZONTAL)



Part No. & Size:
CH-16170(H) (150mm)

BACKING PLATES



ROTARY BACKING PLATE (M14)

A backing plate functions as a spine between the machine and polishing pads. It doesn't just fix pads onto the polisher, it greatly affects handling and cutting performance too. Designed with slight flexibility to run through curved panels without compromising its structural integrity and cutting abilities. Comes in various sizes.

Attachment	M14
Part No. & Size	FCC-PU0730 (30mm)
	YWN-050-DW(M14) (50mm)
	YWN-075-DW(M14) (75mm)
	YWN-0125-DW (125mm)

FOAM INTERFACE



Part No. & Size:
CH-B04 (160mm)
CH-B03 (130mm)
CH-B02 (75mm)





HURRICANE 2.0 BACKING PLATE

Tailored explicitly for OSREN Hurricane 2.0, this backing plate is designed with cooling cavities to extend pads' lifespan for a longer period of time. Made from moulded polyurethane, the Hurricane 2.0 backing plate is assured of consistency in quality and performance. 125mm in diameter.

Attachment	Screw On Attachment
Part No. & Size	A-L15T-H205BP (125mm)

HURRICANE BACKING PLATE



Part No. & Size:
YWN-0125-16K (125mm)

DA BACKING PLATE (M8)

The dual action backing plate fits most generic dual action polisher with M8 female threads. Constructed with durable polyurethane, it is designed to transfer the right and consistent amount of orbital and spinning movement for polishing jobs. Comes in various sizes and fitted with hook-and-loop fastener to secure pads.

Attachment	M8
Part No. & Size	YWN-050-A (50mm) YWN-075-C (75mm) YWN-0100-A (100mm) YWN-0125-6K-D(M8) (125mm)







TOOLS & ACCESSORIES

Drying towels, buffing towels, DA polishers, worklamps and other detailing stuffs that help you achieve perfection.

POWER TOOLS

OSREN HURRICANE 2.0 DUAL ACTION POLISHER

OSREN Hurricane 2.0 is a Dual Action Polisher designed to be absolutely safe and friendly for all. Its orbital spin of 15mm is capable of producing exceptional results in removing defects, swirls, holograms and marrings. A trusted tool for both professionals and enthusiasts for paint correction.

Power	220V-240V / 50 Hz 900W
Speed	3,500 - 5,800 OPM
Orbit	15mm
Part No.	NJ-DAPL15T



OSREN VORTEX ROTARY POLISHER

OSREN's Vortex Rotary Polisher offers greater cutting speed and power for paintwork correction. Made with comfortability in mind, OSREN's Vortex is designed to be lighter and with more adaptability in handling.

Powered by a robust motor, Vortex stays true to its delivery in speed even under extreme load. This is to ensure consistency in cutting can be achieved for uniformed result. The variable speed trigger caters users full control in cutting adjustments.



Power	220-240V / 50 Hz 1100W
Speed	800-3500RPM
Thread	M14
Part No.	NJ-RO-5

OSREN MINI ROTARY POLISHER (M14)



Part No.:
NJ-RTL8-3 (220-240V)

OSREN TEMPEST 2.0 DUAL ACTION POLISHER

An upgraded version mini dual action polisher designed for a safer, more effective and effortless paintwork correction endeavor. Tempest 2.0 is a small yet powerful tool with 8mm orbital throw designed to tackle narrow areas and curvy panels. Comes with 3" backing plate for precision cutting.

Power	220-240V / 50 Hz 380W
Speed	3,000 - 7,200 OPM
Orbit	8mm
Part No.	NJ-DAPL8T



CARBON BRUSH



Part No.:

A-L15T-P28 (Hurricane 2.0)

A-R05-P24 (Vortex)

A-L8T-P28 (Tempest 2.0)

FOG MACHINE

Used for fogging **OSREN Bacteria & Odor Exterminator** (See page 18 for product information) inside the cabin of your car for a cleaner, healthier driving experience.



Power Supply	240V / 50Hz
Power Consumption	1,200W
Part No.	M-NFM-GK003C

PNEUMATIC TOOLS

**CYCLONE
FOAM GUN**

Part No.:
M-Z011AN

**CLEANING GUN
(W/ DUST PLATE)**

Part No.:
M-AZ020KV

AIR BLOW GUN

Part No.:
M-Z0282

**3" PALM SANDER
(W/ 3" PAD)**

Part No.:
M-AC3009

5" AIR SANDER

Part No.:
M-FT313

**SWIVER
CONNECTOR 360°**

Part No.:
A-Z034 (without regulator)
A-Z034R (with regulator)

3" AIR POLISHER

Part No.:
M-C3715AEVP

**3" VERTICAL
POLISHER**

Part No.:
M-AK3102

**AIR ROTARY
POLISHER
(M14)**

Part No.:
M-AK7002



MAGIC CLAY CLOTH

The safest and simplest way to create a smooth-as-glass finish is non other than claying. Cars are frequently exposed to pollutants such as industrial fall outs, dust particles, tar spots and many more. Most of these pollutants are not visible to the eyes but when you run your palm across the paintwork, you will find all these pollutants protruding the surface and has already embedded onto the finish.

A Detailing Clay acts as a substance that “pulls out” these embedded contaminants without harming the clear coat. It is a proven tool to remove embedded contaminants without scouring or polishing the surface.

OSREN Magic Clay Cloth is actually Detailing Clay material affixed onto a microfibre towel giving users a much larger working surface as well as flexibility to contour over convex or concave surfaces easily. The microfibre towel also acts to hold water to lubricate the claying process.

Towel Size **40x40cm**

Part No. **T-MC-01**



CLAYBAR



Part No.:
A-CB-9006

JOYBOND JAPAN CLAYBAR



Part No.:
A-CB-9008

TOWELS

MICROFIBRE BUFFING TOWEL 40x40

OSREN Microfibre Buffing Towel 40x40 is a universal detailing towel made of good standard microfibres that is most suitable for buffing off polish residue, wax and even coatings.



<i>Packing Size</i>	1pkt x 3pcs
<i>Available Colors</i>	Blue, Green & Red
<i>Part No. & Size</i>	CH-MF-M06 (40x40cm)

MICROFIBRE DRYING TOWEL 30x60

What's more absorbent than microfibre towels? A stretchable microfibre towel!! OSREN Microfibre Drying Towel 30x60 are stretchable hence able to hold more water making it super water absorbent totally ideal for drying and washing the car!



<i>Packing Size</i>	1pkt x 3pcs
<i>Available Colors</i>	Brown, Gray & Purple
<i>Part No. & Size</i>	CH-MF-T05 (30x60cm)

MICROFIBRE WINDOW TOWEL 40x40

There's nothing more important than having clean, crystal clear and smudge free windscreens and windows. Conventional cloths are bad at picking up finger print marks, stains and smoke films, they also leave behind lints that will devastate the finish of your windows. OSREN Microfibre Window Towel 40x40 are made of special lint free microfibres that wipes off finger prints, oily stains/films effortlessly and leaves nothing but a clear crystal finish that will never cease to amaze you.



<i>Packing Size</i>	1pkt x 3pcs
<i>Part No. & Size</i>	CH-MF-B01 (40x40cm)

MEGA MICROFIBRE DRYING TOWEL

OSREN Mega Microfibre Drying Towels are unexceptional at drying wet panels. Made of stretchable microfibre blend, the drying towels are capable of absorbing more water than conventional microfibres. The unique blend is also remarkably durable, and it can be used repeatedly without losing its fiber integrity. Comes in various sizes for different panels and for ease of usage.



Part No. & Size:	Colour:
CH-MF-B13 (60x90cm)	Blue
CH-MF-B11 (60x180cm)	Brown Purple Grey
CH-MF-B14 (90x180cm)	Blue

WHITE SYNTHETIC CHAMOIS



Part No. & Size:
CH-SC-W05 (50x50cm)

MICROFIBRE WAFFLE TOWEL



Part No. & Size:
CH-MF-C10 (40x60cm)

YELLOW BUFFING TOWEL



Part No. & Size:
CH-MF-Y04 (40x60cm)

POLISHING CLOTH



Part No. & Size:
A-PC-9003X12 (32x45cm)

WHITE PREMIUM TOWEL



Part No. & Size:
CH-MF-W07 (40x40cm)

COATING APPLICATOR REFILL



Part No. & Size:
A-CMFC (12x9cm)

MICROFIBRE COATING CLOTH



Part No. & Size:
CH-MF-G02 (40x45cm)

MISCELLANEOUS



FOAM LANCE

A thick and frothy foam dispenser designed to plug and play with most pressure washers. Adjustable nozzle and air-and-water mixture render users full control on thickness and spray pattern of foam.

OSREN foam lance is made of brass for maximum durability and increased resistance against harsh usage. Suitable for home and commercial vehicles to promote longer-lasting lubrication on paint to help minimise washing marrings during washes.

Part No. **CH-FLKIT**



FOAM LANCE ADAPTERS

Adaptors for foam lance that directly attaches to various trigger guns. A simple plug and play attachment that securely connects OSREN's foam lance to various brands and models of pressure washers. Designed with o-ring gasket to ensure perfect seal.



Model:	Part No.:
KARCHER HD	CH-FLAKAR-HD
KARCHER K-SERIES	CH-FLAKAR-K
HITACHI	CH-FLA-HITACHI
BLACK & DECKER	CH-FLA-B&D
BOSCH AQT	CH-FLA-AQT
BOSCH M22	CH-FLA-M22B
GERNI	CH-FLA-GER
LAVOR	CH-FLA-LAVOR
QUICK CONNECT	CH-FLA-QRC
PA STYLE	CH-FLA-PASC

IK FOAM 1.5 SPRAYER



Part No.:
A-IKF-15

GREY SHAMPOO SPONGE



Part No.:
A-GS-25DX20 (1pkt x 20)

TIRE SPONGE



Part No.:
A-GTS-41DX20

WAX APPLICATOR



Part No.:
CH-WA-4"x12 (1pkt x 12)

4" APPLICATOR SPONGE



Part No.:
A-AS-9001X12 (1pkt x 12)

COATING APPLICATOR KIT



Part No.:
A-CAKIT

9" ROUND WASH MITT



Part No.:
L86-243

DA SCRUB BRUSH



Part No.:
US-UB-PC810 (Leather Brush)
US-CB-PC830 (Carpet Brush)

GLASS POLISHING KIT



Part No.:
C-GP(4)-KIT

MISCELLANEOUS

WASH BOARD



Part No.:
G-GGWB-BLK

GRIT GUARD



Part No.:
G-GGINSB (Individual)
G-SYSTEM (System)

GRIT GUARD
BUCKET DOLLY

Part No.:
L89-104

SYSTEM 2000 PAD
WASHER (ROTARY)

Part No.:
L90-2000P

SYSTEM 3000 PAD
WASHER (DA)

Part No.:
L90-3000

DUOSPUR
CLEANING TOOL

Part No.:
L89-104

400ML
DISPENSER BOTTLE

Part No.:
A-DP-35012X10

1L TRIGGER
SPRAY BOTTLE
(CHEMICAL RESISTANT)

Part No.:
A-TSB-10032GX5

9.25 TRIGGER
FOAM BLASTER

Part No.:
UK-SH640F9

SOFTBACK SANDING SPONGE



Part No.:
A-SSS-2600

MASKING TAPE



Part No. & Size:
A-MT-6X50 (6mm)
A-MT-151240X20 (15mm)
A-MT-661X9 (43mm)

DETAILING BLOCK



Part No.:
A-DB245

DETAILING BRUSH



Part No. & Size:
MS-WB01-25 (25mm)
MS-WB01-30 (30mm)
MS-WB01-35 (35mm)

LED WORK LAMP (8 FEET)



Part No.:
C-LSL8-30W

EXTENSION SHAFT CONNECTOR (M14)



Part No. & Size:
CH-ESM14
(140mm / 100mm / 70mm)

SWIRL FINDER



Part No.:
A-SF-2X3A

WHEEL BRUSH



Part No.:
US-WB (Soft)
US-PB(AB) (Hard)

ADAPTORS FOR ROTARY



Part No.:
A-A-M1614 (M16/M14)
A-BA-1458 (M14 x 5/8)
A-BA-1658 (M16 x 5/8)
A-DA-M14 (M14)

SUPER STRENGTH INDUSTRIAL HAND GEL



OSREN Super Strength Industrial Hand Gel is OSREN's first developed product that has been sold for two decades and counting. It is formulated to simply remove hi-temperature grease, printing ink and other stubborn stains from your hands while nourishing them with lanolin.

Unlike other cleaning gel, OSREN's Hand Gel contain tons of tiny silicas that scrubs out stains that have inhibit between your nails and groves of your palm. Silicas also scrub away dead skin around the ball of your palm. Not only that, because it's pH Neutral, OSREN Hand Gel will not scorch your hands making it safe on cut wounds also.

OSREN Hand Gel cleans, disinfects, scrubs and moisturizes your hand in one simple application - just scoop a pinch, lather and rinse!

I-SS-6049 (20Kg)



I-SS-6039 (5Kg)

I-SS-6059 (500g)

I-SS-6029 (2.5Kg)

A man with dark hair and a mustache, wearing a white polo shirt with green accents and the 'OSREN' logo, is shown in profile. He is using a brown microfiber cloth to clean the front grille of a car. The background is a workshop with various tools and equipment on shelves.

The fundamentals to
become a great detailer
lies in the joy for cleaning!
#detailersjoy



OSREN (MALAYSIA) SDN BHD (590911-A)

54, Jalan 5/32A, Off 6 1/2 Miles, Jalan Kepong, 52100, Kuala Lumpur, Malaysia.

Telephone: +603 6250 9258 Fax: +603 6250 6258

Email: mail@osren.com

Whatsapp: +6012 311 9258

Wechat: osren3959258